



# Federal Communications Commission

Approved by OMB  
3060-0999  
See instructions for  
public burden estimate.

## Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2015 - June 30, 2016

Filing Confirmation Number: 0007340050

Filing Deadline: July 15, 2016

FRN: 0019349547

Filing Date: 07/14/2016 10:55 AM

### General Report Information

#### Type of Company

Device Manufacturer

#### De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

#### Company Information

Company Name: ZTEUSA Inc.

Brand Names: ZTE

PO Box:

Street Address: 2425 North Central Expressway, Suite 600

City: Richardson

State: TX

Zip Code: 75080

Contact Name: Gary Hu

Contact Phone: (469) 939-7899

Contact Fax:

Contact Email: gary.hu@zteusa.com

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

#### Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for

hearing aid compatibility with respect to such operation?

Yes

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Yes

Explain:

### Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels. Yes

Website address: [www.zteusa.com](http://www.zteusa.com)

Explain:

### Consumer Outreach

Describe consumer outreach efforts in the past 12 months: HAC ratings have been clearly labeled on the box and user manual. The ratings are also listed on company website.

### Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 30

### Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 30

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	22	100%					22
CDMA	10	100%					10
WCDMA	23	100%					23
LTE	17	100%					17

## Handset 1: ZTE A1

### Handset Maker

ZTE

### Handset Model Name

A1

### FCC ID

SRQ-ZTEA1

### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz CDMA  
850 MHz LTE  
1900 MHz GSM  
1900 MHz CDMA  
2100 MHz CDMA  
2100 MHz LTE  
2300 MHz LTE  
2600 MHz LTE

### Dates

This handset model was offered from: 10/15 to 06/16

### Ratings

M-Rating: M4

M-Rating Certification Date: 08/28/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 08/28/15

Version of the ANSI C63.19 standard used during the certification process: 2011

### Remarks

---

## Handset 2: ZTE A1P

### Handset Maker

ZTE

### Handset Model Name

A1P

### FCC ID

SRQ-ZTEA1P

### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE

1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2100 MHz WCDMA  
2100 MHz LTE  
2300 MHz LTE  
2600 MHz LTE

#### Dates

This handset model was offered from: 07/15 to 06/16

#### Ratings

M-Rating: M4

M-Rating Certification Date: 06/30/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/30/15

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 3: ZTE A1R

#### Handset Maker

ZTE

#### Handset Model Name

A1R

#### FCC ID

SRQ-ZTEA1R

#### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2100 MHz WCDMA  
2100 MHz LTE  
2600 MHz LTE

#### Dates

This handset model was offered from: 11/15 to 06/16

#### Ratings

M-Rating: M4

M-Rating Certification Date: 09/25/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/25/15

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

### Handset 4: ZTE N817

#### Handset Maker

ZTE

#### Handset Model Name

N817

#### FCC ID

SRQ-ZTEN817

#### Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 10/15 to 06/16

#### Ratings

M-Rating: M4

M-Rating Certification Date: 08/18/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 08/18/15

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

## Handset 5: ZTE N9131

### Handset Maker

ZTE

### Handset Model Name

N9131

### FCC ID

SRQ-ZTEN9131

### Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz CDMA  
850 MHz GSM  
850 MHz CDMA  
850 MHz WCDMA  
850 MHz LTE  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz CDMA  
1900 MHz WCDMA  
1900 MHz LTE  
2100 MHz WCDMA  
2100 MHz LTE  
2.5 GHz LTE

### Dates

This handset model was offered from: 06/16 to 06/16

### Ratings

M-Rating: M4

M-Rating Certification Date: 05/10/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/10/16

Version of the ANSI C63.19 standard used during the certification process: 2011

### Remarks

---

## Handset 6: ZTE N9312

### Handset Maker

ZTE

### Handset Model Name

N9312

### FCC ID

SRQ-ZTEN9132

### Air Interfaces/Frequency Bands

800 MHz CDMA  
850 MHz CDMA  
850 MHz WCDMA  
1900 MHz CDMA  
1900 MHz WCDMA

#### Dates

This handset model was offered from: 11/15 to 06/16

#### Ratings

M-Rating: M3

M-Rating Certification Date: 09/28/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/28/15

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 7: ZTE N9519

#### Handset Maker

ZTE

#### Handset Model Name

N9519

#### FCC ID

SRQ-ZTEN9519

#### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2100 MHz WCDMA  
2100 MHz LTE  
2.5 GHz LTE

#### Dates

This handset model was offered from: 06/16 to 06/16

#### Ratings

M-Rating: M4

M-Rating Certification Date: 03/31/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/31/16

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

### Handset 8: ZTE N9521 (Max Plus)

#### Handset Maker

ZTE

#### Handset Model Name

N9521 (Max Plus)

#### FCC ID

SRQ-ZTEN9521

#### Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 09/15 to 06/16

#### Ratings

M-Rating: M4

M-Rating Certification Date: 07/16/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/16/15

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---



## Handset 9: ZTE Z223

### Handset Maker

ZTE

### Handset Model Name

Z223

### FCC ID

Q78-Z222

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

### Dates

This handset model was offered from: 02/15 to 06/16

### Ratings

M-Rating: M3

M-Rating Certification Date: 12/02/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 12/02/15

Version of the ANSI C63.19 standard used during the certification process: 2011

### Remarks

## Handset 10: ZTE Z716BL

### Handset Maker

ZTE

### Handset Model Name

Z716BL

### FCC ID

SRQ-Z716BL

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

### Dates

This handset model was offered from: 02/16 to 06/16

### Ratings

M-Rating: M4

M-Rating Certification Date: 12/21/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/21/15

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

### Handset 11: ZTE Z717VL

#### Handset Maker

ZTE

#### Handset Model Name

Z717VL

#### FCC ID

SRQ-Z717VL

#### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 03/16 to 06/16

#### Ratings

M-Rating: M4

M-Rating Certification Date: 01/04/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/04/16

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

## Handset 12: ZTE Z815

### Handset Maker

ZTE

### Handset Model Name

Z815

### FCC ID

SRQ-Z815

### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2100 MHz WCDMA  
2100 MHz LTE

### Dates

This handset model was offered from: 05/16 to 06/16

### Ratings

M-Rating: M4

M-Rating Certification Date: 03/31/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/31/16

Version of the ANSI C63.19 standard used during the certification process: 2011

### Remarks

## Handset 13: ZTE Z818L

### Handset Maker

ZTE

### Handset Model Name

Z818L

### FCC ID

SRQ-Z818L

### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
900 MHz GSM

1800 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2100 MHz WCDMA  
2100 MHz LTE

#### Dates

This handset model was offered from: 07/15 to 06/16

#### Ratings

M-Rating: M3

M-Rating Certification Date: 05/12/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/12/15

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

### Handset 14: ZTE Z819L

#### Handset Maker

ZTE

#### Handset Model Name

Z819L

#### FCC ID

SRQ-Z819L

#### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA  
2100 MHz LTE  
750 MHz LTE

#### Dates

This handset model was offered from: 07/15 to 06/16

#### Ratings

M-Rating: M4

M-Rating Certification Date: 05/18/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/18/15

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 15: ZTE Z820

#### Handset Maker

ZTE

#### Handset Model Name

Z820

#### FCC ID

SRQ-Z820

#### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
1800 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2100 MHz WCDMA  
2100 MHz LTE

#### Dates

This handset model was offered from: 07/15 to 06/16

#### Ratings

M-Rating: M4

M-Rating Certification Date: 05/13/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/13/15

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 16: ZTE Z828

#### Handset Maker

ZTE

#### Handset Model Name

Z828

#### FCC ID

SRQ-Z828

#### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2100 MHz WCDMA  
2100 MHz LTE

#### Dates

This handset model was offered from: 02/16 to 06/16

#### Ratings

M-Rating: M3

M-Rating Certification Date: 12/08/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/08/15

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 17: ZTE Z831

#### Handset Maker

ZTE

#### Handset Model Name

Z831

#### FCC ID

SRQ-Z831

#### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2100 MHz LTE

#### Dates

This handset model was offered from: 06/16 to 06/16

#### Ratings

M-Rating: M4

M-Rating Certification Date: 04/13/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/13/16

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

### Handset 18: ZTE Z850

#### Handset Maker

ZTE

#### Handset Model Name

Z850

#### FCC ID

SRQ-Z850

#### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

#### Dates

This handset model was offered from: 09/15 to 06/16

#### Ratings

M-Rating: M4

M-Rating Certification Date: 07/10/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/10/15

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---



## Handset 19: ZTE Z916BL

### Handset Maker

ZTE

### Handset Model Name

Z916BL

### FCC ID

SRQ-Z916BL

### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2100 MHz WCDMA  
2100 MHz LTE

### Dates

This handset model was offered from: 06/16 to 06/16

### Ratings

M-Rating: M4

M-Rating Certification Date: 05/17/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/17/16

Version of the ANSI C63.19 standard used during the certification process: 2011

### Remarks

---

## Handset 20: ZTE Z933

### Handset Maker

ZTE

### Handset Model Name

Z933

### FCC ID

SRQ-Z933

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
1900 MHz GSM  
1900 MHz WCDMA  
2100 MHz WCDMA

## Dates

This handset model was offered from: 07/15 to 06/16

## Ratings

M-Rating: M4

M-Rating Certification Date: 07/17/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 07/17/14

Version of the ANSI C63.19 standard used during the certification process: 2011

## Remarks

## Handset 21: ZTE Z955A

### Handset Maker

ZTE

### Handset Model Name

Z955A

### FCC ID

SRQ-Z955A

### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz WCDMA  
850 MHz LTE  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2100 MHz LTE

## Dates

This handset model was offered from: 12/15 to 06/16

## Ratings

M-Rating: M3

M-Rating Certification Date: 10/08/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 10/08/15

Version of the ANSI C63.19 standard used during the certification process: 2011

## Remarks

## Handset 22: ZTE Z955L

### Handset Maker

ZTE

### Handset Model Name

Z955L

### FCC ID

SRQ-Z955L

### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz WCDMA  
850 MHz LTE  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2100 MHz LTE

### Dates

This handset model was offered from: 07/15 to 06/16

### Ratings

M-Rating: M3

M-Rating Certification Date: 05/12/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/12/15

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

### Handset 23: ZTE Z959

#### Handset Maker

ZTE

#### Handset Model Name

Z959

#### FCC ID

SRQ-Z959

#### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

#### Dates

This handset model was offered from: 02/16 to 06/16

#### Ratings

M-Rating: M4

M-Rating Certification Date: 12/16/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/16/15

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

## Handset 24: ZTE Z962BL

### Handset Maker

ZTE

### Handset Model Name

Z962BL

### FCC ID

SRQ-Z962BL

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

### Dates

This handset model was offered from: 02/16 to 06/16

### Ratings

M-Rating: M4

M-Rating Certification Date: 12/17/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/17/15

Version of the ANSI C63.19 standard used during the certification process: 2011

### Remarks

## Handset 25: ZTE Z963VL

### Handset Maker

ZTE

### Handset Model Name

Z963VL

### FCC ID

SRQ-Z963VL

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 02/16 to 06/16

### Ratings

M-Rating: M4

M-Rating Certification Date: 12/22/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 12/22/15

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

### Handset 26: ZTE Z968

#### Handset Maker

ZTE

#### Handset Model Name

Z968

#### FCC ID

SRQ-Z968

#### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

#### Dates

This handset model was offered from: 06/16 to 06/16

#### Ratings

M-Rating: M4

M-Rating Certification Date: 05/25/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/25/16

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

## Handset 27: ZTE Z981

### Handset Maker

ZTE

### Handset Model Name

Z981

### FCC ID

SRQ-Z981

### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2100 MHz WCDMA  
2100 MHz LTE

### Dates

This handset model was offered from: 06/16 to 06/16

### Ratings

M-Rating: M4

M-Rating Certification Date: 06/01/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 06/01/16

Version of the ANSI C63.19 standard used during the certification process: 2011

### Remarks

## Handset 28: ZTE Z988

### Handset Maker

ZTE

### Handset Model Name

Z988

### FCC ID

SRQ-Z988

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
1900 MHz GSM  
1900 MHz WCDMA

### Dates

This handset model was offered from: 05/16 to 06/16

## Ratings

M-Rating: M4

M-Rating Certification Date: 03/09/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/09/16

Version of the ANSI C63.19 standard used during the certification process: 2011

## Remarks

## Handset 29: ZTE ZTE A2017U

### Handset Maker

ZTE

### Handset Model Name

ZTE A2017U

### FCC ID

SRQ-ZTEA2017U

### Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz CDMA  
850 MHz WCDMA  
850 MHz LTE  
1900 MHz CDMA  
1900 MHz WCDMA  
1900 MHz LTE  
2100 MHz CDMA  
2100 MHz WCDMA  
2100 MHz LTE

### Dates

This handset model was offered from: 06/16 to 06/16

## Ratings

M-Rating: M3

M-Rating Certification Date: 05/27/16



Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/27/16

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

### Handset 30: ZTE ZTEN9518

#### Handset Maker

ZTE

#### Handset Model Name

#### FCC ID

ZTEN9518

SRQ-ZTEN9518

#### Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz CDMA

850 MHz LTE

1900 MHz CDMA

1900 MHz LTE

2.5 GHz LTE

#### Dates

This handset model was offered from: 08/15 to 06/16

#### Ratings

M-Rating: M4

M-Rating Certification Date: 06/29/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/29/15

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

## Certification

**This Report has been certified by:**

Gary Hu Director of Wireless Engineering  
07/14/2016 10:55 AM

Reference Copy